IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Applicant:	LUBOWSKI, David Z.	Patent No.:	7,244,228 B2
App. No.:	10/071,701	Issue Date:	July 17, 2007
Filed:	February 8, 2002	Conf. No.:	2673
Title:	SIGMOIDOSCOPE	Art Unit:	3739
		Examiner:	Leubecker, John P.

SUPPLEMENTAL REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.322 or 1.323

Commissioner for Patents
Attention: Certificate of Corrections Branch
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Applicant hereby requests a Supplemental Certificate of Correction under 37 C.F.R. § 1.322 or 1.323 be issued for the above patent, in accordance with the attached request. A request for Certificate of Correction was previously submitted on November 13, 2007, requesting insertion of the omitted priority information on the cover page.

The Patent Office has omitted and/or misspelled words in claims 2, 3, 12, 34, 38, and 39. In addition, Applicant requests that a phrase be added to claim 1 for clarity. The correction of the errors presented herein does not involve new matter or require re-examination. Applicant respectfully requests the issuance of a Certificate of Correction to correct these errors.

One of the errors sought to be corrected was made by the Applicant. Therefore, the Applicant authorizes the fee in the amount of $100.00 for a Certificate of Correction under 37 C.F.R. § 1.20(a) to be charged to Deposit Account No. 04-1415. Applicant believes no additional fees are due with this filing. However, should any fees or petitions be required, please consider this a request therefor and authorization to charge Deposit Account No. 04-1415 as necessary.

Should the Examiner have any questions, please contact the undersigned attorney.

Dated: August 7, 2008

Respectfully submitted,

S. Craig Hemenway, Registration No. 44,759
Attorney for Applicant
USPTO Customer No. 20686

DORSEY & WHITNEY LLP
Republic Plaza Building, Suite 4700
370 Seventeenth Street
Denver, Colorado 80202-5647
Phone: (303) 629-3400
Fax: (303) 629-3450

4833-6425-0626\1

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,244,228 B2
ISSUE DATE : July 17, 2007
INVENTOR(S) : Lubowski, David Z.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, claim 1, at line 26:

Please insert a semi-colon after the second occurrence of the word "end" and before the word "and."

Column 10, claim 1, after line 29 and before line 30:

Please insert the following:

-- the sigmoidoscope further comprising: --

Column 10, claim 2, at line 54:

Please delete the word "sicimoidoscoe" and insert -- sigmoidoscope --.

Column 10, claim 3, at line 59:

Please delete the word "at" between the second occurrence of the word "the" and the word "manually".

Column 11, claim 12, at line 25:

Please delete the word "claims" and insert the word -- claim -- .

Column 12, claim 34, at line 42:

Please insert the word -- the -- between the second occurrence of the word "coupling" and the word "light".

Column 12, claim 38, at line 54:

Please delete the number "35" and insert number -- 36 -- .

Column 12, claim 39, at line 58:

Please delete the second occurrence of the number "35" and insert number -- 36 -- .

Mailing address of Sender:

Dorsey & Whitney LLP
Republic Plaza Building, Suite 4700
370 Seventeenth Street
Denver, CO 80202-5647
Phone: (303) 629-3400
Fax: (303) 629-3450
USPTO Customer No.: 20686

Patent No 7,244,228 B2